

Appl. No. : 10/060,907  
Filed : January 29, 2002

### AMENDMENTS TO THE CLAIMS

16. **(Currently Amended)** A marine outboard drive comprising a housing having an outer surface on an exterior of the outboard drive and at least one recessed area lying next to and being recessed relative to a portion of the outer surface, a steering shaft pivotal about a steering axis, at least one mounting mechanism being disposed in the recessed area and being coupled to the steering shaft and to the housing, and a pair of cover members configured to lie generally flush with at least the portion of the outer surface of the housing, each one of the cover members having a front portion with a front surface slanting forwardly and downwardly, the cover members being affixed to each other at lowermost sections of the respective front.

17. **(Previously Presented)** The marine outboard drive as set forth in Claim 16, wherein the recessed area includes a pair of recessed portions that are disposed on opposite sides of the housing, the mounting mechanism includes a pair of mounting assemblies, each mounting assembly is disposed within one of the recessed portions, and each cover member is configured to cover the mounting assembly disposed within the respective recessed portion.

18. **(Previously Presented)** The marine outboard drive as set forth in Claim 16, wherein the front surfaces of the cover members meet with each other in front of the steering shaft.

19. **(Previously Presented)** The marine outboard drive as set forth in Claim 18 additionally comprising an elongated member, the housing including a lower portion, the steering shaft being tubular, the elongated member extending through the steering shaft and beyond a bottom end thereof into a lower portion of the housing, the front portions of the cover members defining a space in front of the steering shaft, at least a portion of the elongated member extending through the space.

**Appl. No.** : 10/060,907  
**Filed** : January 29, 2002

20. **(Previously Presented)** The marine outboard drive as set forth in Claim 19, wherein the lower portion of the housing includes a horizontal section extending generally horizontally and below the steering shaft, the horizontal section defines a first aperture under the steering shaft and a second aperture forwardly of the first aperture, and the elongated member extends through the second aperture.

21. **(Previously Presented)** The marine outboard drive as set forth in Claim 19, wherein the elongated member is a cable.

22. **(Previously Presented)** The marine outboard drive as set forth in Claim 21, wherein the cable includes at least one electrically conductive wire.

23. **(Previously Presented)** The marine outboard drive as set forth in Claim 21, wherein the cable is a speedometer cable.

24. **(Currently Amended)** A marine outboard drive comprising a housing having an outer surface on an exterior of the outboard drive and at least one recessed area lying next to a portion of the outer surface and being recessed relative to the portion of the outer surface, a tubular steering shaft pivotal about a steering axis, at least one mounting mechanism disposed in the recessed area and coupled to the steering shaft and to the housing, an elongated member extending through the steering shaft and beyond a bottom end thereof into a lower portion of the housing, and cover members configured to lie generally flush with at least the portion of the outer surface of the housing, each one of the cover members having a front portion coupled with each other to define a space in front of the steering shaft, at least a portion of the elongated member extending through the space.

25. **(Previously Presented)** The marine outboard drive as set forth in Claim 24, wherein the lower portion of the housing includes a horizontal section extending generally

**Appl. No.** : 10/060,907  
**Filed** : January 29, 2002

horizontally and below the steering shaft, the horizontal section defines a first aperture under the steering shaft and a second aperture forwardly of the first aperture, the elongated member extends through the second aperture.

26. **(Previously Presented)** The marine outboard drive as set forth in Claim 24, wherein the elongated member is a cable.

27. **(Previously Presented)** The marine outboard drive as set forth in Claim 26, wherein the cable includes at least one electrically conductive wire.

28. **(Previously Presented)** The marine outboard drive as set forth in Claim 26, wherein the cable is a speedometer cable.

29. **(Previously Presented)** The marine outboard drive as set forth in Claim 24, wherein the elongated member is flexible.

30. **(Previously Presented)** The marine outboard drive as set forth in Claim 24, wherein the elongated member warps in the space.

31. **(Previously Presented)** The marine outboard drive as set forth in Claim 24 additionally comprising a second elongated member extending through the steering shaft, wherein the second elongated member does not extend through the space.

32. **(Previously Presented)** The marine outboard drive as set forth in Claim 25, wherein the tubular steering shaft defines a bottom surface, the elongated member extends below at least a portion of the bottom surface.